





# CITOject F

### High Quality Ejection Material

CITOject F is a tried and tested, high-quality ejection material that has been specially developed for use on cutting dies and meets the requirements of both die manufacturers as well as those of companies converting solid and corrugated board.

Due to its material quality and reliability, CITOject F sets benchmarks for all standard applications.

#### OUR RECOMMENDATION FOR THE

- High standards
- Constant machine performance
- Long service lives
- Outstanding results



Area of application:

- Flatbed / folding carton
- Flatbed / corrugated board





The colour-coding enables clear identification of the respective function. The ejection material has been certified as safe for the production of folding boxes for food packaging and is available with the self-adhesive CITO EasyFix technology.

CITOject F has the following convincing product properties:

- For long runs and constant machine performance
- Simple optical quality control through colour-coding
- Reduction of cutting pressure in the machine
- Fewer nicks and faster sheet transfer
- UV and ageing-resistant material
- **EasyFix technology** for exact positioning and residue-free removal of the ejection material
  - ✓ Time-saving due to fast and simple attachment of profile
  - $\checkmark$  No damage to the cutting die
  - ✓ 100 % efficiency of the rubber lining
  - ✓ Increased work safety
- Certified as safe for the production of folding boxes for food packaging
  - ✓ Conform with sections 3 and 17 of EC No. 1935/2004 for food contact materials
  - ✓ Production reliability combined with product safety




#### CITO Quality Label:


This quality label on the cutting die means that high-quality elastomers such as CITOject F have been used.



Further information on CITOject F: www.cito.de/citojectf Straight cut



\* With separator



Description	Dimensions (L × W × H)	Order no.	EasyFix Order no.
CITOject F 15 SAND			
Plate format (unit = 1 plate)			
CITOject F 15 SAND	1000 × 600 × 7 mm	BPC00607	BPC01607
CITOject F 15 SAND	1000 × 600 × 10 mm	BPC00600	BPC01600
CITOject F 15 SAND	1000 × 600 × 11 mm	BPC00601	BPC01601
Strips (unit = 100 strips)			
CITOject F 15 SAND *	600 × 7 × 7 mm		BPD01642
CITOject F 15 SAND *	600 × 11 × 11 mm		BPD01641
CITOject F 25 YELLOW			
Plate format (unit = 1 plate)			
CITOject F 25 YELLOW	1000 × 970 × 7 mm	BPC00610	BPC01610
CITOject F 25 YELLOW	1000 × 970 × 8 mm	BPC00612	BPC01612
CITOject F 25 YELLOW	1000 × 970 × 9.5 mm	BPC00613	BPC01613
CITOject F 25 YELLOW	1000 × 970 × 10 mm	BPC00614	BPC01614
CITOject F 25 YELLOW	1000 × 970 × 11 mm	BPC00611	BPC01611
Strips (unit = 100 strips)			
CITOject F 25 YELLOW	700 × 7 × 7 mm	BPD00610	BPD01610
CITOject F 25 YELLOW *	700 × 7 × 7 mm	BPD00660	BPD01660
CITOject F 25 YELLOW	700 × 11 × 11 mm	BPD00611	BPD01611
CITOject F 25 YELLOW *	700 × 11 × 11 mm	BPD00661	BPD01661
CITOject F 35 GREEN			
Plate format (unit = 1 plate)			
CITOject F 35 GREEN	990 × 860 × 7 mm	BPC00620	BPC01620
CITOject F 35 GREEN	990 × 860 × 8 mm	BPC00622	BPC01622
CITOject F 35 GREEN	990 × 860 × 9.5 mm	BPC00623	BPC01623
CITOject F 35 GREEN	990 × 860 × 10 mm	BPC00624	BPC01624
CITOject F 35 GREEN	990 × 860 × 11 mm	BPC00621	BPC01621
Strips (unit = 100 strips)			
CITOject F 35 GREEN	700 × 7 × 7 mm	BPD00621	BPD01621
CITOject F 35 GREEN *	700 × 7 × 7 mm	BPD00671	BPD01671
CITOject F 35 GREEN	700 × 10 × 10 mm	BPD00625	BPD01625
CITOject F 35 GREEN *	700 × 10 × 10 mm	BPD00675	BPD01675
CITOject F 45 ORANGE			
Plate format (unit = 1 plate)			
CITOject F 45 ORANGE	990 × 780 × 7 mm	BPC00630	BPC01630
CITOject F 45 ORANGE	990 × 780 × 9.5 mm	BPC00633	BPC01633
CITOject F 45 ORANGE	990 × 780 × 10 mm	BPC00634	BPC01634
CITOject F 45 ORANGE	990 × 780 × 11 mm	BPC00635	BPC01635
Strips (unit = 100 strips)			
CITOject F 45 ORANGE	700 × 7 × 7 mm		BPD01632
CITOject F 45 ORANGE *	700 × 7 × 7 mm		BPD01682
CITOject F 45 ORANGE	700 × 11 × 11 mm		BPD01634
CITOject F 45 ORANGE *	700 × 11 × 11 mm		BPD01683
CITOject F 55 BLUE			
Plate format (unit = 1 plate)			
CITOject F 55 BLUE	900 × 700 × 7 mm	BPC00650	BPC01650

Strips on request.

\* With separator

Note: The indicated dimensions of length and width with plates can vary by  $\pm$  5 mm.



#### partner for success

## CITO Ejection Performance Guide

The digital online tool dynamically shows you the ideal ejection material for all your jobs.

How it works:

- Enter your order data such as material, run length, machine speed and special applications in the CITO Ejection Performance Guide.
- Receive your individual recommendation for your application with one click.
- For an even more detailed recommendation, request your personal PDF guide by email. You will receive it immediately. You will get the precise material height for each of your specific requirements.

If you have any further questions or would like more information please contact our experts to find the perfect solution for your application.

